

LL	IIIIII	88888888	FFFFFFFF	MM	MM	TTTTTTTT	DDDDDDDD	EEEEEEEE	FFFFFFFF
LL	IIIIII	88888888	FFFFFFFF	MM	MM	TTTTTTTT	DDDDDDDD	EEEEEEEE	FFFFFFFF
LL	II	88	FF	MMM	MMM	TT	DD	EE	FF
LL	II	88	FF	MMM	MMM	TT	DD	EE	FF
LL	II	88	FF	MM	MM	TT	DD	EE	FF
LL	II	88	FF	MM	MM	TT	DD	EE	FF
LL	II	88888888	FFFFFF	MM	MM	TT	DD	EEEE	FFFFFF
LL	II	88888888	FFFFFF	MM	MM	TT	DD	EEEE	FFFFFF
LL	II	88	FF	MM	MM	TT	DD	EE	FF
LL	II	88	FF	MM	MM	TT	DD	EE	FF
LL	II	88	FF	MM	MM	TT	DD	EE	FF
LL	II	88	FF	MM	MM	TT	DD	EE	FF
LL	II	88	FF	MM	MM	TT	DD	EE	FF
LLLLLLLL	IIIIII	88888888	FF	MM	MM	TT	DDDDDD	EEEEEEEE	FF
LLLLLLLL	IIIIII	88888888		MM	MM	TT	DDDDDD	EEEEEEEE	

SSSSSSSS	DDDDDDDD	LL
SSSSSSSS	DDDDDDDD	LL
SS	DD	DD
SS	DD	DD
SS	DD	DD
SS	DD	DD
SSSSSS	DD	DD
SSSSSS	DD	DD
SS	DD	DD
SS	DD	DD
SS	DD	DD
SS	DD	DD
SSSSSSSS	DDDDDDDD	LLLLLLLL
SSSSSSSS	DDDDDDDD	LLLLLLLL

```
MODULE $LIBFMTDEF;      { Item formatting type codes
                        { File: LIBFMTDEF.SDL Edit: SBL1004
```

```
{*****
{
{*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
{*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
{*  ALL RIGHTS RESERVED.
{
{*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
{*  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
{*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
{*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
{*  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
{*  TRANSFERRED.
{
{*  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
{*  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
{*  CORPORATION.
{
{*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
{*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
{
{*****
```

```
{ Edit history:
```

```
{ 1-001 - Original. SBL 10-Mar-1983
{ 1-002 - Add HEXSTR. SBL 20-May-1983
{ 1-003 - Change HEXSTR to HEXSTRING. SBL 23-May-1983
{ 1-004 - Add MODE. SBL 9-Sep-1983
{
```

```
/* Item formatting codes used by LIB$FORMAT_ITEM
```

```
CONSTANT (
  STRING,      /* Value is a string
  ASCII,       /* Value is a counted string
  HEXSTRING,   /* Value is a hex string of arbitrary length
  PSTRING,     /* Value is a blank-padded string
  BINARY,      /* Reserved for string expansion
  HEX,         /* Value is a longword integer
  BOOLEAN,     /* Value is a hex-formatted integer
  DATE,        /* Value is a bit; use boolean for string
  PRIVILEGE,   /* Value is a date
  UIC,         /* Value is a privilege mask
  PROT,        /* Value is a UIC
  VPROT,       /* Value is a protection specifier
  ACP,         /* Value is a volume protection specifier
  STATE,       /* Value is an ACP type
  MODE,        /* Value is a process state
  ) EQUALS 0 INCREMENT 1 PREFIX LIB$ TAG K_FMT;
```

```
CONSTANT MIN EQUALS LIB$K_FMT_STRING PREFIX LIB$ TAG K_FMT;
```

16-SEP-1984 16:41:36^{0.13} Page 2

```
END_MODULE;
```


0202 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

BRARMSC

LIBRTL

LIBRTL2
MAP

LIBFMTDEF
SDL

LIBPROLOG
REQ

LIBRTL
MAP

OTSLB
SDL

SUBS
ELI

OTSCBREQ
REQ

OTSMAC
REQ

LISTLIB
LIB

LIBCLIDEF
SDL

LIBLNK
REQ

OTSLNK
REQ

LIBOCFDEF
SDL

RTLILB
REQ

PROCMO
LIB

LIBMACROS
REQ

OTSLB
SDL